

10/730, 966

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	41570	ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:57			0
2	BRS	L2	1189	ferrodielctric\$1 or ferro-dielectric\$1 or (ferro adj dielectric\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:57			0
3	BRS	L3	575229	capacitor or capacitors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:57			0
4	BRS	L4	2932	((ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3)) adj random adj access adj memor\$3) or FeRAM or "FeRAM" or FeRAM\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:59			0
5	BRS	L5	2799	(heat\$4 or anneal\$4) near10 ((bottom or lower) adj electrode\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:02			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
6	BRS	L6	210	4 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:27			0
7	BRS	L7	1678 28	(bottom or lower) adj (electrode\$1 or plate\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:28			0
8	BRS	L8	1540 71	(top or upper) adj (electrode\$1 or plate\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:29			0
9	BRS	L9	7851 1	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:29			0
10	BRS	L10	8873	(heat\$4 or anneal\$4) near 10 ((bottom or lower) adj (electrode\$1 or plate\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:37			0
11	BRS	L11	211	4 and 10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:30			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
12	BRS	L12	1	11 NOT 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:30			0
13	BRS	L13	0	(heat\$4 or anneal\$4) with ((bottom or lower) adj (electrode\$1 or plate\$1)) with (O2 or "O2" or "O.sub.2" or oxygen) with deform\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:03			0
14	BRS	L14	0	(heat\$4 or anneal\$4) with ((bottom or lower) adj (electrode\$1 or plate\$1)) with (O2 or "O2" or "O.sub.2" or oxygen) with (deform\$6 or distort\$4 or bend\$4 or warp\$4 or bow\$4 or buckle\$4 or collapse\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 12:07			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
15	BRS	L15	42	(heat\$4 or anneal\$4) with (electrode\$1 or plate\$1) with (O2 or "O2" or "O.sub.2" or oxygen) with (deform\$6 or distort\$4 or bend\$4 or warp\$4 or bow\$4 or bockl\$4 or collaps\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:42			0
16	BRS	L16	0	4 and 15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:42			0
17	BRS	L17	326	(heat\$4 or anneal\$4) with ((bottom or lower adj (electrode\$1 or plate\$1)) with (deform\$6 or distort\$4 or bend\$4 or warp\$4 or bow\$4 or bockl\$4 or collaps\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 12:08			0
18	BRS	L18	5	17 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 12:09			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
19	IS&R	L19 5		((("6576546") or ("6548343") or ("6440754") or ("6156623") or ("6514835")).PN.	USPAT; US-PGPUB	2004/06/09 12:12			0
20	BRS	L20 1		(heat\$4 or anneal\$4) with ((bottom or lower) adj (electrode\$1 or plate\$1)) with (O2 or "O2" or "O.sub.2" or oxygen) with hillock\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:05			0
21	BRS	L21 1		(heat\$4 or anneal\$4) with ((bottom or lower) adj (electrode\$1 or plate\$1)) with (O2 or "O2" or "O.sub.2" or oxygen) with (hillock\$1 or (small adj hill\$1) or mound\$1 or hill\$1 or hummock\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:07			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
22	BRS	L22	14	(heat\$4 or anneal\$4) same ((bottom or lower) adj (electrode\$1 or plate\$1)) same (O2 or "O2" or "O.sub.2" or oxygen) same (hilllock\$1 or (small adj hill\$1) or mound\$1 or hill\$1 or hummock\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:08			0
23	BRS	L23	9818 5	DRAM\$1 or (dynamic adj random adj access adj memor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:53			0
24	BRS	L24	6423 68	3 or 23	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:54			0
25	BRS	L25	4259 6	1 or 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:54			0
26	BRS	L26	6428 38	24 or 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:55			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
27	BRS	L27	1408 6	26 and 25	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:56			0
28	BRS	L28	3801	27 and 9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:56			0
29	BRS	L29	3771	(heat\$4 or anneal\$4) with ((bottom or lower) adj electrode\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:05			0
30	BRS	L30	3512	(heat\$4 or anneal\$4) with (1 or 2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:05			0
31	BRS	L31	532	29 and 30	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:04			0
32	BRS	L32	451	28 and 31	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:05			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Error
33	BRS	L33	2799	(heat\$4 or anneal\$4) near10 ((bottom or lower) adj electrode\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:05			0
34	BRS	L34	2822	(heat\$4 or anneal\$4) near10 (1 or 2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:06			0
35	BRS	L35	360	33 and 34	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:06			0
36	BRS	L36	151	35 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:06			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	41570	ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:57			0
2	BRS	L2	1189	ferrodielectric\$1 or ferro-dielectric\$1 or (ferro adj dielectric\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:57			0
3	BRS	L3	575229	capacitor or capacitors	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:57			0
4	BRS	L4	2932	((ferroelectric\$3 or ferro-electric\$3 or (ferro adj electric\$3)) adj random adj access adj memor\$3) or FeRAM or "FeRAM" or FeRAM\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 10:59			0
5	BRS	L5	2799	(heat\$4 or anneal\$4) near10 ((bottom or lower) adj electrode\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:02			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
6	BRS	L6	210	4 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:27			0
7	BRS	L7	1678 28	(bottom or lower) adj (electrode\$1 or plate\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:28			0
8	BRS	L8	1540 71	(top or upper) adj (electrode\$1 or plate\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:29			0
9	BRS	L9	7851 1	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:29			0
10	BRS	L10	8873	(heat\$4 or anneal\$4) near10 ((bottom or lower) adj (electrode\$1 or plate\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:37			0
11	BRS	L11	211	4 and 10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:30			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
12	BRS	L12	1	11 NOT 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:30			0
13	BRS	L13	0	(heat\$4 or anneal\$4) with ((bottom or lower) adj (electrode\$1 or plate\$1)) with (O2 or "O2" or "O.sub.2" or oxygen) with deform\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:03			0
14	BRS	L14	0	(heat\$4 or anneal\$4) with ((bottom or lower) adj (electrode\$1 or plate\$1)) with (O2 or "O2" or "O.sub.2" or oxygen) with (deform\$6 or distort\$4 or bend\$4 or warp\$4 or bow\$4 or buckle\$4 or collapse\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 12:07			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
15	BRS	L15	42	(heat\$4 or anneal\$4) with (electrode\$1 or plate\$1) with (O2 or "O2" or "O.sub.2" or oxygen) with (deform\$6 or distort\$4 or bend\$4 or warp\$4 or bow\$4 or bockl\$4 or collaps\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:42			0
16	BRS	L16	0	4 and 15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 11:42			0
17	BRS	L17	326	(heat\$4 or anneal\$4) with ((bottom or lower adj (electrode\$1 or plate\$1)) with (deform\$6 or distort\$4 or bend\$4 or warp\$4 or bow\$4 or bockl\$4 or collaps\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 12:08			0
18	BRS	L18	5	17 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 12:09			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
19	IS&R	L19 5		((("6576546") or ("6548343") or ("6440754") or ("6156623") or ("6514835")).PN.	USPAT; US-PGPUB	2004/06/09 12:12			0
20	BRS	L20 1		(heat\$4 or anneal\$4) with ((bottom or lower) adj (electrode\$1 or plate\$1)) with (O2 or "O2" or "O.sub.2" or oxygen) with hillock\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:05			0
21	BRS	L21 1		(heat\$4 or anneal\$4) with ((bottom or lower) adj (electrode\$1 or plate\$1)) with (O2 or "O2" or "O.sub.2" or oxygen) with (hillock\$1 or (small adj hill\$1) or mound\$1 or hill\$1 or hummock\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:07			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
22	BRS	L22	14	(heat\$4 or anneal\$4) same ((bottom or lower) adj (electrode\$1 or plate\$1)) same (O2 or "O2" or "O.sub.2" or oxygen) same (hill\$1) or mound\$1 or hill\$1 or hummock\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:08			0
23	BRS	L23	9818 5	DRAM\$1 or (dynamic adj random adj access adj memor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:53			0
24	BRS	L24	6423 68	3 or 23	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:54			0
25	BRS	L25	4259 6	1 or 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:54			0
26	BRS	L26	6428 38	24 or 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:55			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
27	BRS	L27	1408 6	26 and 25	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:56			0
28	BRS	L28	3801	27 and 9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:56			0
29	BRS	L29	3771	(heat\$4 or anneal\$4) with ((bottom or lower) adj electrode\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:05			0
30	BRS	L30	3512	(heat\$4 or anneal\$4) with (1 or 2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:05			0
31	BRS	L31	532	29 and 30	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:04			0
32	BRS	L32	451	28 and 31	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:05			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
33	BRS	L33	2799	(heat\$4 or anneal\$4) near10 ((bottom or lower) adj electrode\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:05			0
34	BRS	L34	2822	(heat\$4 or anneal\$4) near10 (1 or 2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:06			0
35	BRS	L35	360	33 and 34	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:06			0
36	BRS	L36	151	35 and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:06			0